

---

2022



## Premium 2-Way Accessory Catalog

Keller Communications  
Keller McCrary  
(972) 243-7160  
[keller@kellercommunications.com](mailto:keller@kellercommunications.com)

# Table of Contents

---

|                    |  |
|--------------------|--|
| Page 3 .....       | Naming Convention                        |
| Page 4 & 5 .....   | <b>BRAIDED FIBER CLOTH</b> Earpieces     |
| Page 6 & 7 .....   | <b><i>SnapLock System</i></b> Earpieces  |
| Page 8 .....       | Acoustic Tube Earpieces                  |
| Page 9 .....       | Ear Hook Earpieces                       |
| Page 10 .....      | D-Rings and Ear Bud Earpieces            |
| Page 11 .....      | Swivel Earpieces                         |
| Page 12 & 13 ..... | <b>Wrap-Tight</b> Earpieces              |
| Page 14 & 15 ..... | Retail Swivel Earpieces                  |
| Page 16 & 17 ..... | Knowles Hi-Def Earpieces                 |
| Page 18 & 21 ..... | Speaker Microphones                      |
| Page 22 & 23 ..... | Receive Only Earpieces                   |
| Page 24 .....      | Noise Cancelling Knowles Hi-Def Headsets |
| Page 25 .....      | Light Weight Headsets                    |
| Page 26 - 29 ..... | Heavy Duty Headsets                      |
| Page 30 .....      | Adaptors                                 |
| Page 31 .....      | Hirose™ Adaptors and Accessories         |
| Page 32 & 33 ..... | POC Earpieces                            |
| Page 34 & 35 ..... | Sonim Earpieces                          |
| Page 36 .....      | Acoustic Tube Ear Tips & Parts           |
| Page 37 .....      | Earpiece & Headset Parts                 |
| Page 38 .....      | Radio & Hirose Adaptors                  |
| Page 39 .....      | Speaker & Battery Parts                  |
| Pages 40-45 .....  | Connector Charts                         |

## Earpieces

|             |                        |
|-------------|------------------------|
| <b>AT</b>   | Acoustic Tube          |
| <b>ATS</b>  | Acoustic Tube Straight |
| <b>SWVL</b> | Swivel                 |
| <b>EH</b>   | Ear Hook               |
| <b>EHLG</b> | Ear Hook Large         |
| <b>DR</b>   | D-Ring                 |
| <b>DRA</b>  | D-Ring Adjustable      |
| <b>EB</b>   | Ear Bud                |
| <b>SL</b>   | SnapLock               |

## Examples

AT1W = Acoustic Tube 1 Wire

AT1W-M = Acoustic Tube 1 Wire with  
Motorola M Connector

## Receive Only Earpieces

|            |                            |
|------------|----------------------------|
| <b>ROC</b> | Receive Only Coiled Wire   |
| <b>ROS</b> | Receive Only Straight Wire |

ATROC15 = Acoustic Tube Coil 15mm

ATROC15-3.5 = Receive Only Acoustic  
Tube Coiled Wire with 3.5 Connector

## Earpiece Type

|            |                                |
|------------|--------------------------------|
| <b>+</b>   | Braided Fiber                  |
| <b>1W</b>  | 1 Wire In-Line PTT             |
| <b>1WB</b> | 1 Wire Lines Out Bottom Of PTT |
| <b>2W</b>  | 2 Wire                         |
| <b>3W</b>  | 3 Wire                         |

AT+2W = Acoustic Tube Braided 2 Wire

AT+2W-M12 = Acoustic Tube Braided  
Fiber 2 Wire with Motorola M12 Connector

## Speaker Mics

|           |                  |
|-----------|------------------|
| <b>SM</b> | Speaker Mic      |
| <b>W</b>  | Water Proof      |
| <b>NC</b> | Noise Cancelling |

SM6W = Speaker Mic 6 Water Proof

SM6W-K = Speaker Mic 6 Water Proof  
with K Connector

## Headsets

|              |                                |
|--------------|--------------------------------|
| <b>HS</b>    | Headset                        |
| <b>HSS</b>   | Headset Single Ear             |
| <b>HSD</b>   | Headset Double Ear             |
| <b>HSB</b>   | Headset Behind Head            |
| <b>HSBHD</b> | Headset Behind Head Heavy Duty |
| <b>HSIE</b>  | Headset In Ear                 |

HSS = Headset Single Ear

HSS-Y3 = Headset Single Ear with  
Vertex Y3 Connector

## Parts

|             |           |
|-------------|-----------|
| <b>AD</b>   | Adaptor   |
| <b>ETIP</b> | Ear Tip   |
| <b>BC</b>   | Belt Clip |

AD-M12-M = Adaptor for Motorola M12  
(Multi-Pin) to M (Single Pin)

# **BRAIDED FIBER CLOTH**

## **Earpieces**



**The Original**  
End Users Love Them



**3 x Stronger**  
Than traditional resin line

- 90 pound pull-strength
- Lays tangle-free
- More comfortable
- Over 6 years of satisfied customers

**KEVLAR**

Cords on All Ear Pieces



# BRAIDED FIBER CLOTH Earpieces

So comfortable and strong, you'll never think about radio accessories the same way again.



- Improved strength over our standard resin earpieces
- Enhanced comfort and durability
- Lays tangle-free
- Microphone with RF shielding
- Noise cancelling mic on the **BRAIDED FIBER CLOTH SnapLock 2 Wire** and Acoustic Tube 2 Wire products



**BRAIDED FIBER CLOTH SnapLock**  
1 Wire  
**SL+1W**



**BRAIDED FIBER CLOTH SnapLock**  
2 Wire  
**SL+2W**



**BRAIDED FIBER CLOTH Acoustic Tube**  
1 Wire  
**AT+1W**



**BRAIDED FIBER CLOTH Acoustic Tube**  
2 Wire  
**AT+2W**



**BRAIDED FIBER CLOTH Earhook**  
1 Wire  
**EH+1W**



**BRAIDED FIBER CLOTH D-RING ADJUSTABLE**  
1 Wire  
**DRA+1W**



**BRAIDED FIBER CLOTH Swivel**  
1 Wire  
**SWVL+1W**

**KEVLAR**

Cords on All Ear Pieces

## BRAIDED FIBER CLOTH

### SnapLock 1 Wire SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male **SnapLock** connector



High-quality  
**SnapLock**  
metal-to-metal  
connector

## BRAIDED FIBER CLOTH

### SnapLock 2 Wire SL+2W



- Improved strength and durability
- Tangle-free
- Noise cancelling premium microphone with clip-on PTT
- With male **SnapLock** connector

### SnapLock 1 Wire SL1W

#### SL1W

- A straight through in-line PTT with microphone
- With male **SnapLock** connector



### SnapLock 2 Wire SL2W

- Clip-on PTT with microphone
- With male **SnapLock** connector

### SnapLock 3 Wire SL3W

#### SL3W

- Palm PTT
- Discreet pin on lapel microphone
- With male **SnapLock** connector



## Features

- Industry-leading 90lb pull strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

## KEVLAR

Cords on All Ear Pieces

# SNAPLOCK

## EARPIECE SYSTEM



**SnapLock**  
Covert Ear Tips

**SL-ET+2-W** - White  
**SL-ET+2-B** - Black



**SnapLock**  
In-Ear Hi-Def

**SL-HD+IEG** - Gel Tip  
**SL-HDIEF** - Foam Tip



**SnapLock**  
Swivel

**SL-SWVL**



**SnapLock**  
Bone Conduction

**SL-BC** - Hearing Aid



**SnapLock** High-Def  
Acoustic Tube

**SL-ATHD+** - Knowles Speaker



**Indestructible  
Connector**



**SnapLock**  
Ear Hook

**SL-EH** - Standard  
**SL-EHLG** - large speaker



**SnapLock**  
D-Ring

**SL-DRA** - Adjustable  
**SL-DR** - Standard



**SnapLock**  
Acoustic Tube

**SL-AT** - Premium Acoustic Tube  
**SL-ATR** - Economically Priced for  
retail and hospitality



## BRAIDED FIBER CLOTH Acoustic Tube 1 Wire

**AT+1W**



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding

## Acoustic Tube 1 Wire

**AT1W**



- A straight through in-line PTT with microphone
- Surgical tubing with UV protection

## Acoustic Tube 2 Wire

**AT2W**



- Clip-on PTT with microphone
- Surgical tubing with UV protection

## Features

- Industry leading 30lb pull-strength
- Quick disconnect clip – secures the earpiece and provides additional cable strain relief
- Twist off acoustic tubes – hygienic quick and easy swap between multiple users sharing equipment

## BRAIDED FIBER CLOTH Acoustic Tube 2 Wire

**AT+2W**



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise cancelling premium microphone

## Acoustic Tube 1 Wire Straight Tube

**ATS1W** - Straight acoustic tube with high output speaker

- A straight through in-line PTT with microphone
- Surgical tubing
- Sleek design for low-profile
- Bullet style PTT



## Acoustic Tube 3 Wire

**AT3W**

- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone



[See Replacement Parts on Acoustic Parts Page](#)

**KEVLAR**

[Cords on All Ear Pieces](#)

**BRAIDED FIBER  
CLOTH**  
Ear Hook  
1 Wire  
**EH+1W**

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/microphone with added shielding



Ear Hook  
1 Wire  
**EH1W**

- A straight through in-line PTT with microphone



Ear Hook  
2 Wire  
**EH2W**

- Clip-on PTT with microphone

Ear Hook  
with large  
speaker  
**EHLG1W**

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone



**Features**

- Industry leading 30lb pull-strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Ear Pieces



## D-Ring Adjustable 1 Wire **DRA1W**

- A straight through in-line PTT with microphone



Removable protective cover



## D-Ring 1 Wire **DR1W**

- A straight through in-line PTT with microphone

## Ear Bud 1 Wire **EB1W**

- A straight through in-line PTT with microphone



## Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Ear Pieces

**BRAIDED FIBER CLOTH Swivel 1 Wire**

**SWVL+1W**

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



**Swivel 1 Wire**

**SWVL1W**

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users

**Swivel 2 Wire**

**SWVL2W**

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



**Features**

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Ear Pieces





## NEW WRAP-TIGHT Adjustable Sizing Earpiece



### Swivel Wrap-Tight

**SWVLWT1W**

- A straight through in-line PTT with microphone



# NEW WRAP-TIGHT

NEW



## Ear Hook Wrap-Tight

**EHWT1W**

- A straight through in-line PTT with microphone

- **Make it long or make it short**
- **Wrap up the extra line for a perfect fit**
- **Premium in-line microphone**
- **Strong rotating clothing clip**

## KEVLAR

Cords on All Ear Pieces

## Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector



**NEW**

# NEW RETAIL SWIVEL

Available For:

Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)




# RETAIL CONNECTORS

Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)







**WORN BY RETAILERS NATIONWIDE**

**NEW**

# NEW “HIGH-DEF” SPEAKER EAR PIECES

**knowles**  
Premium Speakers

Speaker Size on Dime



## **SnapLock** Hi-Def Knowles In-Ear SL-HD+IEG

- Gel Ear Tip
- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



**NEW**

## **SnapLock** Hi-Def Knowles In-Ear SL-HDIEF

- Foam Ear Tip
- Mechanical On/Of Ambient Noise Control
- Knowles Speaker



**NEW**

## **SnapLock** Hi-Def Acoustic Tube Knowles Speaker SL-ATHD+

- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



**NEW**

**knowles**  
Premium Speakers  
Engineered specifically  
for Voice Quality



**NEW "HI-DEF"**  
**RECEIVE ONLY**  
**ACOUSTIC TUBE**



Available Now!

Speaker Size On A Dime



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removeable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips

Item: ATHDROC30-3.5

**NEW "HI-DEF"**  
**SNAPLOCK ACOUSTIC TUBE**



Available Now!

Speaker Size On A Dime



Item: SL-ATHD+



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removeable Clip
- Works with all **SnapLock** Base PTT Systems
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips



## Best Selling Speaker Microphone 6 Series

### SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long heavy-duty cord



3.5mm accessory port on the side

360 degree rotating clothing clip



### SM6W

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"



### SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



### SM6WL

- Same features as above SM6W
- Extra-long heavy-duty cord



## Battery Powered Speaker Mic

### SM7

- Great high and low volume
- Compact, heavy-duty design
- IP55 water & dust resistant
- Led Indicator - Charging
- Volume control
- LED Front light
- Replaceable lithium 1500mAH battery
- Dimensions: 2.3" x 1.1 x 3"



3.5mm accessory port on the side

Micro USB Charging Port



# KEVLAR

Cords on All Speaker Mics





# SPEAKER MIC

Multiple styles for each user

Compact, heavy-duty design  
4.9mm fire retardant cable  
3.5mm audio accessory port  
Heavy gauge coiled cord  
Dimensions: 2.25"x.8"x2"

# **SM6W**

3.5 Audio  
Earpieces Port

Emergency Button Optional



**IP67**  
Speaker Mic Rating

**WATER AND DUST PROOF**



ENGINEERED FOR ENHANCED AUDIO  
PERFORMANCE AND DURABILITY  
INDEPENDENT LAB TEST RATING IP67  
4.9mm FIRE RETARDANT CABLE



## Compact Size

### SM1

- Dimensions: 2.1" x 1" x 2.7"



3.5mm accessory port on the side  
360 degree rotating clothing clip



## Standard Size

### SM2

- Dimensions: 2.3" x 1.1" x 3"



3.5mm accessory port on the side  
360 degree rotating clothing clip



## Compact Size

### SM3

- Dimensions: 2" x 1" x 2.8"
- Most economical
- Newly designed lightweight



3.5mm accessory port on the bottom  
360 degree rotating clothing clip



## Heavy Duty

### SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant

### SM4W

- Available in waterproof with an IP67 rating/ water and dust proof
- No accessory jack



3.5mm accessory port on the bottom  
- SM4 model only  
360 degree rotating clothing clip



## Mobile Palm Mic

### PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP57 rated/ water and dust resistant



**KEVLAR**

Cords on All Speaker Mics



# NEW MOBILE PALM MIC

NEW



- Superior Audio Quality
- Fits All Kenwood Mobiles Using RJ45
- Durable Long Lasting Cable
- Includes Mobile Hang-Up Clip



# RECEIVE ONLY - LENGTH OPTIONS



**YOUR CHOICE OF COMFORTABLE AND RELIABLE EARPIECES**

Full View


**Ear Tip Optional Parts**



Available in 2.5mm or 3.5mm audio pin

|                           |  |                       |                  |
|---------------------------|--|-----------------------|------------------|
| <b>RO</b><br>Receive Only | <b>2.5 or 3.5</b><br>millimeters<br>connectors | <b>LENGTH OPTIONS</b> |                  |
|                           |  | Shoulder Mics         | 4 inch    10 cm  |
|                           |  | Shoulder Mics         | 6 inch    15 cm  |
|                           |  | Chest Mics            | 12 inch   30 cm  |
|                           |  | Hip Mics              | 48 inch   120 cm |

## NEW "HI-DEF" RECEIVE ONLY ACOUSTIC TUBE



Available Now!

Speaker Size On A Dime



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removeable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips

Item: ATHDROC30-3.5



◀ knowles

**Hi-Def Premium Voice Receive Only**

- ATHDROC30-2.5 12 in long w/ 2.5mm
- ATHDROC30-3.5 12 in long w/ 3.5mm



◀ knowles

**Hi-Def Premium Voice Receive Only**

- HDIEG+ROS30-2.5 9.5in long w/ 2.5mm
- HDIEG+ROS30-3.5 9.5in long w/ 3.5mm



**Acoustic Tube Receive Only**

- ATROC10-2.5 4in long w/ 2.5mm
- ATROC15-2.5 6in long w/ 2.5mm
- ATROC10-3.5 4in long w/ 3.5mm
- ATROC15-3.5 6in long w/ 3.5mm
- ATROC30-2.5 12in long w/ 2.5mm
- ATROC30-3.5 12in long w/ 3.5mm
- ATROC120 48in long w/ 3.5mm



**Ear Bud Receive Only**

- EBROC15-2.5 6in long w/ 2.5mm
- EBROC15-3.5 6in long w/ 3.5mm



**D-Ring Receive Only**

- DRROC15-2.5 6in long w/ 2.5mm
- DRROC15-3.5 6in long w/ 3.5mm



**D-Ring Adjustable Receive Only**

- DRAROC15-2.5 6in long w/ 2.5mm
- DRAROC15-3.5 6in long w/ 3.5mm



**Ear Hook Receive Only**

- EHROC15-2.5 6in long w/ 2.5mm
- EHROC15-3.5 6in long w/ 3.5mm



**Swivel Receive Only**

- SWVLROC15-2.5 6in long w/ 2.5mm
- SWVLROC15-3.5 6in long w/ 3.5mm



**BRAIDED FIBER CLOTH Receive Only SnapLock**

- SL+ROS120-2.5 48in long w/ 2.5mm
- SL+ROS120-3.5 48in long w/ 3.5mm



See **SnapLock** System page

**KEVLAR**

Cords on All Ear Pieces




# NEW HI-DEF, NOISE CANCELLING IN-EAR HEADSET

### HSHD+IEF

- Hi-Def premium sound
- Noise Cancelling Mic
- Lightweight and comfortable
- Adjustable behind the head band
- Metal Headband
- Braided Fiber Cloth cords

knowles  
Premium Speakers  
Engineered specifically  
for Voice Quality



### Mechanical On-Off to Ambient Noise

Ambient Noise Control  
On/Off Both Ears Tips



knowles  
Premium Speaker

Noise Reduction  
Ear Foam Tips

### Premium Noise Reduction Foam Tips

24.9 ~ 48.4 dB Reduction



### Noise Cancelling Boom Mic



# OVER & BEHIND HEAD LIGHTWEIGHT HEADSETS

## Single Side Lightweight Over the Head Headset

### HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



## Double Side Lightweight Over the Head Headset

### HSD

- In-line PTT with microphone
- Adjustable over the head band
- Metal Headband



## Lightweight Behind the Head Headset

### HSB

- In-line PTT
- Lightweight wire frame



## Lightweight H/D Behind the Head Headset

### HSBHD

- In-line round mushroom PTT with coil cable.
- Adjustable headstrap
- Heavy duty wire frame





# NEW HARD HAT Headset



- Lightweight heavy duty hard hat headset
- High quality noise cancelling microphone
- Super comfortable with foam earpads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24dB ~ 33dB

# NEW LIGHTWEIGHT PADDED Headset



- Adjustable over head dual ear muffs
- High quality noise cancelling microphone
- Quality foam ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!



Item # HS-PTTCAB



Noise Cancelling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24dB ~ 33dB

# NEW LIGHTWEIGHT FLEX Headset



Item # HS3

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24dB ~ 33dB

# NEW LIGHTWEIGHT FLEX Headset



Item # HS3G

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24dB ~ 33dB



# NEW SINGLE MUFF Headset



- Adjustable over head single ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Noise Cancelling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24dB ~ 33dB

# NEW DOUBLE MUFF Headset



- Adjustable over head dual ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Noise Cancelling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24dB ~ 33dB

# BEHIND HEAD HEAVY DUTY HEADSETS

## PTT in Cable Headset **HS5**



- Behind The Head Headset
  - Adjustable head band accommodates headgear
  - Coil Cable sold separately - **HS5-CAB, NX-CAB**
- Available Colors

## PTT on Ear Muff Headset **HS4**



- Behind The Head Headset
  - Adjustable head band accommodates headgear
  - Coil Cable sold separately - **HS4-CAB, NX-CAB**
- Available Colors

## Volume and PTT on Headset **HS8**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately - **HS4-CAB**

## Features

- Premium molded gel ear pads
- Includes spare boom mic shield
- Flexible boom mic
- Microphones are noise cancelling-directional mic
- SNR rating 33db H=33db M=32db L=24dB

**KEVLAR**

Cords on Large Ear Muff

## Adaptor Options



**ADC-Y3-FL3.5** adaptor dongle to 3.5mm custom accessories



**AD-Y3-FL3.5** adaptor to 3.5mm custom accessories

Works with: VX260, VX231, VX300 Series, VX400 Series, eVerge- eVX531, eVX534, eVX539

Perfect for multi shift users who are constantly plugging and unplugging earpieces, causing accessory port issues. This solution is reverse wired so the earpieces are plugged into the adaptor instead of directly into the radio, eliminating unwanted service problems for the dealer.

- Adaptor stays connected to the radio and accessories are connected and disconnected to the adaptor.
- Avoid costly repairs and radio down time associated with accessory port issues.
- Customized connections promote customer return. Only LS3 earpiece accessories work with the adaptor and cannot be substituted with other vendor earpieces.



## Adaptor Earpiece Options

Additional Adaptors Available  
Inquire directly.

[See Adaptor Parts Page](#)



**AD-K1-K**  
Kenwood



**AD-M15-M**  
Motorola



**AD-M12-M**  
Motorola



Our Hirose™ quick disconnect adaptors allow users to quickly attach and detach accessories without having to use the connection to the radio.

A great option for users who want to disconnect the radio without removing their accessory, disconnect quickly for charging the radio or quickly change between radios.

## Adaptor Options



**AD-K1-Hirose** - works with Kenwood radios

**AD-M12-Hirose** - works with Motorola MOTOTRBO radios



**AD-M3-Hirose** includes PTT and 3.5mm accessory port

[See on Adaptor Page](#)



- Allows accessory to stay on person while changing or charging radios.
- Adaptor stays connected to the radio and accessories are quickly connected and disconnected to and from the adaptor
- Engineered and designed to ensure quality control

## Hirose™ Earpiece Options

Available in 1 or 2 Wire Acoustic Tube

### SNAPLOCK SYSTEM



**AT1W-Hirose** 1-wire acoustic tube earpiece with straight through in-line PTT/microphone

**AT2W-Hirose** 2-wire acoustic tube earpiece with clip-on PTT / microphone



**AT+1W-Hirose** 1-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with straight through in-line PTT / microphone with added shielding

**AT+2W-Hirose** 2-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with noise cancelling premium microphone and palm PTT



**SL+2W** - 2-wire **SNAPLOCK BRAIDED FIBER CLOTH** with noise cancelling premium microphone and palm PTT Earpieces sold separately:

- SL-EB** - Ear Bud
- SL-EH** - Ear Hook
- SL-SWVL** - Swivel
- SL-DR** - D-Ring
- SL-DRA** - Adjustable D-Ring
- SL-AT** - Acoustic Tube
- SL-ATR** - Acoustic Tube Retail



ANDROID

**SMART DEVICE  
PUSH-TO-TALK  
AUDIO**



## Features

- Works with Android and IOS devices
- Systems: Wave, Zello, NPTT, ESChat, Zebra
- All cellular carriers

# SNAPLOCK

## EARPIECE SYSTEM

**SnapLock**  
1 Wire Base PTT  
**SL+SMART1**



### BRAIDED FIBER CLOTH

- Straight through in-line PTT & microphone
- With male **SnapLock** connector

**Speaker Mic**  
**SM7-SMART1**



- IP55 Water & Dust resistant
- Heavy gauge 4.2mm coiled cable
- 3.5mm Audio port for listen only earpiece
- Torch LED light on front with on/off button
- Replaceable lithium polymer 1500mAH battery
- Strong 360 degree rotating clip
- Volume control
- USB charging port
- Replaceable battery
- LED indicator
- Power on/off button



# SNAPLOCK

## EARPIECE SYSTEM



**SnapLock**  
Covert Ear Tips

SL-ET+2-W - White  
SL-ET+2-B - Black



**SnapLock**  
In-Ear Hi-Def

SL-HD+IEG - Gel Tip  
SL-HDIEF - Foam Tip



**SnapLock**  
Swivel

SL-SWVL



**SnapLock**  
Bone Conduction

SL-BC - Hearing Aid



**SnapLock** High-Def  
Acoustic Tube

SL-ATHD+ - Knowles Speaker



**Indestructible  
Connector**



**SnapLock**  
Ear Hook

SL-EH - Standard  
SL-EHLG - large speaker



**SnapLock**  
D-Ring

SL-DRA - Adjustable  
SL-DR - Standard



**SnapLock**  
Acoustic Tube

SL-AT - Premium Acoustic Tube  
SL-ATR - Economically Priced for retail and hospitality



**sonim**

**SNAPLOCK**

**EARPIECE SYSTEM**



XP5



**WORKS WITH ALL  
SONIM MODELS**



XP7

**SnapLock  
1 Wire**

**SL1W-SONIM**

- A straight through in-line PTT with microphone
- With male *SnapLock* connector



**BRAIDED FIBER  
CLOTH  
SnapLock  
1 Wire**

**SL+1W-SONIM**

- 90lb pull-strength
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male *SnapLock* connector



**SnapLock  
2 Wire**

**SL2W-SONIM**

- Clip-on PTT with microphone
- With male *SnapLock* connector



**KEVLAR**

Cords on All Ear Pieces

# SNAPLOCK

## EARPIECE SYSTEM



**SnapLock**  
Covert Ear Tips

**SL-ET+2-W** - White  
**SL-ET+2-B** - Black



**SnapLock**  
In-Ear Hi-Def

**SL-HD+IEG** - Gel Tip  
**SL-HDIEF** - Foam Tip



**SnapLock**  
Swivel

**SL-SWVL**



**SnapLock**  
Bone Conduction

**SL-BC** - Hearing Aid



**SnapLock** High-Def  
Acoustic Tube

**SL-ATHD+** - Knowles Speaker



**Indestructible  
Connector**



**SnapLock**  
Ear Hook

**SL-EH** - Standard  
**SL-EHLG** - large speaker



**SnapLock**  
D-Ring

**SL-DRA** - Adjustable  
**SL-DR** - Standard



**SnapLock**  
Acoustic Tube

**SL-AT** - Premium Acoustic Tube  
**SL-ATR** - Economically Priced for retail and hospitality



## Acoustic Tube Ear Tips



ETIP Skin/Black  
Clear 1, 2, 3  
10 or 100 Pack



Molded Ear Tips  
Flesh/Clear/Black  
S,M,L, Right/Left



EFIN Ear Fins Tips  
S,M,L, Right/Left




ETIP3-C - Clear  
10 or 100 Pack



ETIPHDG-MLMR  
Hi-Def ear tip



ETIP-FOAM Premium  
Noise Reduction ear tip  
24~48 dB  
1,10 or 100 pack



ETIP-FOAM & Plug  
Premium Noise Reduction  
ear tips  
24~48 dB



YELLERS Noise  
Reduction ear tip  
1,10 or 100 pack

## Acoustic Tube Parts



ATCOMPSET - Clear



C4TUBESET with Clear  
Tips



B4TUBESET - Clear  
Tips Surgical Tubing



TUBE- Acoustic Tube  
only Clear/Black



TUBESET with Clear  
Tips Surgical Tubing



B4JOINTB



LJOINT - Joint



B4SPKCLIP-B

Headset Mic Foams and Ear Pads



ESSB-10 -Black - for  
Ear Hook - 10 pack



MICMB - mic sponge  
- HSB, HSS, HSBHD &  
HSD - 1 pack/10 pack



MICLB - mic sponge -  
HS4, HS5, HS7, HS8 -  
1 pack/10 pack



DRATIPB - adjustable  
D-Ring - 2 pack/10 pack



EMEGPAD - gel pad -  
HS4, HS5, HS7, HS8



HSLWEP - earpad -  
HSS & HSD



CLIP - fits 2.0mm &  
2.5mm cable



CLIPA - 2.0-3.8mm  
cable




ATHDCLIP



FPTT - Wired  
Finger PTT



USB-MICRO Cable



SM7BAT - Speaker Mic 7  
Replacement Battery



## Adaptors



AD-M12-M  
Motorola



AD-M15-M  
Motorola



AD-M4-M  
Motorola



AD-M5-3.5  
Motorola



AD-K1-K  
Kenwood



AD-Y3-FL3.5  
Vertex



AD-I-S2  
Icom



ADC-Y3-FL3.5  
Vertex

## HIROSE



AD-M3-HIROSE  
Motorola



AD-M15-HIROSE  
Motorola



AD-M12-HIROSE  
Motorola



AD-K1-HIROSE  
Kenwood

**Call for options  
on non-US-stocked  
adaptors**



## Battery Clips



BC1 - Clip for CP110 and RDU2080



BC2 - Clip for CP200



BC3 - Clip for HT750 and HT1250



BC4 - Clip for Motorola XPR6550



BC5 - Clip for Motorola XPR3500 and XPR7550

**Call for options  
on non-US-stocked  
clips**

## Speaker Mic Clips



SM2CLIP- replacement clip for SM2, SM4 & SM4W













SM3CLIP- replacement clip for SM1 & SM3









SM6CLIP- replacement clip for SM6








PMCLP - replacement clip for Palm Mics

| Image   | Part no. | Model  |
|---|----------|--|
| <b>Bendix King / Relm</b>   |          |  |
|    | BK1      | DPH, LPH, GPH  |
|    | BK2      | KNG  |
|    | K        | RPU416, RPV516, RPU499, RPV599X, RPV516A, RPV599A Plus, RPU416A, RPU499A Plus, RPU4200   |
|    | M        | Relm RP6500  |
|   | M5       | RPV3000/3600/RPU3000/3600/3300C, RPV7200/7500  |
| <b>EF Johnson</b>   |          |  |
|  | M3       | Viking VP600, VP900, Viking Fire, Viking CK8500 Series, Avenger 8100 Series, 51 Fire ES, 5100 ES Series, 51SL ES Series, 51LT ES, Multi-NetAscend ES Series, AN/PRC 127EFJ |
| <b>Harris</b>   |          |  |
|  | H6       | HDP100, HDP150, HDP250 Momentum  |
|  | H7       | HDP250   |
|  | HR1      | LPE200, Prism  |
|  | HR2      | P5300, P5350, P5370, P5400, P5450, P5470, P5500, P5550, P5570, P7300, P7370, P7350, XG-15, XG-25, XG-75  |





| Image   | Part no. | Model  |
|---|----------|--|
| <b>Hytera</b>   |          |  |
|    | H4       | (PD400 series) BD-502, PD412, PD-502, PD-562, TC500, TC508, TC518, TC580, TC600, TC610, TC620, TC700, TC700PT, TC700EX, TC1600, TC2100 |
|    | H5       | TC320  |
|    | H6       | PT-580, PD-702, PD-752, PD-782, PD-785, PD982  |
|    | H7       | PD-602, PD-662, PD-682, X1e, X1p, Z1p  |
|   | H8       | BD302, PD352, PD362  |
|  | M5       | TC-610P, TC700P, TC-780, TC-780P, TC-780M - Note: the M5 and H1 are not the same connector   |






| Image  | Part no. | Model   |
|--|----------|---|
|   | S2B      | IP-100H   |
|   | S3       | IC-F3G, IC-F3GS, IC-F4G, IC-F4GS, IC-F11, IC-F21, IC-F14, IC-F14S, IC-F24, IC-F24S, IC-F31, IC-F33G, IC-F43G, IC-F43TR, BC100, IC-F3001, IC-F3011, IC-F3021, IC-F3021S, IC-F3021T, IC-F3031S, IC-F3101D, IC-F3210D, IC-F3230DT, IC-F4001, IC-F4011, IC-F4021, IC-F4021S, IC-F4021T, IC-F4031S, IC-F4101D, IC-F4210D, IC-F4230DT |
|   | S3B      | IC-F1000D, IC-F1000T/S, IC-F2000, IC-F2000D, IC-F3031S, IC-F3230DT/DS, IC-F4031S, IC-F4230DT/DS, F31W/41W, V88  |
|   | i2       | IC-F50, IC-F51, IC-F60, IC-F61, IC-F30G, IC-F30GT, IC-F30GS, IC-F31GS, IC-F31GT, IC-F40G, ICF40GS, IC-F40GT, F70, F80, M87 / 88, IC-F3061 Series, IC-F4061 Series, IC-F3161 Series, IC-F4161 Series, IC-F31, IC-F41G, IC-F50V, IC-F60V  |
|  | i4       | IC-F3261/4261, IC-F3360/4360, IC-F3400/4400DT/DS/D, IC-F5400/6400D/DS, IC-F9011/F9021   |

| Image | Part no. | Model |
|-------|----------|-------|
|-------|----------|-------|

## Kenwood

|   |    |   |
|---|----|---|
|  | K  | TK-170, TK-208/308, TK-220/320, TK-240/340, TK-240D/340D, TK-248/348, TK-250/350, TK-260/360, TK-260G /360G, TK-270/370, TK-270G/370G, TK-353, TK-372, TK272G, TK-373, TK-430, TK-431, TK-2100/3100, TK-2130 /3130, TK-2160/3160, TK-2170/3170, TK-2173, TK-2180/3180,TK-2200, TK-2202/2302, TK-2212/2312, TK-2300, TK-2360,TK-2400/3400, TK2402/3402,TK-3173, TK-3200/3201/3202, TK-3212, TK-3230, TK-3350, TK-3360, NX220/320, NX240/340, NX420 |
|  | K1 | TK-190/290/390, TK-280/380/480, TK-385, TK-481, TK-2140/3140, TK-2180/3180/4180, TK-3148, TK-3212, TK-5210, TK-5220, TK-5310/5410, TK-5320/5420, TK-5400, NX-200, NX-210, NX-300, NX-3200, NX3300, NX410/411, NX-5200, NX-5300, NX-5400   |
|  | K2 | PKT23   |
|  | KM | Kenwood Mobile  |

## Maxon / TecNet


|   |     |  |
|---|-----|--|
|  | M   | TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416 |
|  | M12 | TPD-1116, TPD-1416, TPD-1124, TPD-1424   |
|  | M14 | TPD-8124, TPD-8424   |

| Image   | Part no.           | Model  |
|---|--------------------|--|
| <b>Motorola</b>   |                    |  |
|    | M<br>Digital Ready | CP88, CP100, CP110, CP150, CP200, CP200XLS, CP200d, CP450, CT150, CT250, CT450, CT450LS, GP2000, GP300, GP308, GP68, GP88, GP2000, BC120, GTI, GTX, LTS2000, PR400, P110, P1215, P1225LS, PRO3150, SP10, SP21, SP50, XTN446, XTN500, XTN600, XV1100, XV2100, XU1100, XU2100, XU2600, VL130, VL50, MAG ONE/BPR40, BC90, CP125, CP185, DTR Series, GP280, CLS1110, CLS1410, BC10, BC130, GP350 (requires Motorola adaptor HLN9482) |
|    | M3                 | HT1000, JT1000, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTX-LS, XTS2500, XTS3000, XTS3500, XTS5000, XTS3000, PR1 500, XTS1500, MX838  |
|    | M4                 | HT1250, HT1250LS, HT1550, HT1550XLS, HT750, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, MTX950, PR860   |
|    | M5                 | EX500, EX560-XLS, EX600, EX600-XLS   |
|  | M12                | MOTOTRBO- APX1000, APX4000, APX6000, APX7000, APX8000, SRX2200, XPR6300, XPR6350, XPR6380, XPR6500, XPR6550, XPR6580, XPR7350e, XPR7380e, XPR7550e, XPR7580e   |
|  | M14                | SL300, SL7550e, SL7580e, SL7590e   |
|  | M15                | XPR3300e, XPR3500e   |
|  | M17                | CLP1040, CLP1010, CLP1060  |




| Image | Part no. | Model |
|-------|----------|-------|
|-------|----------|-------|


## Sepura

|   |     |  |
|---|-----|--|
|  | SP2 | STP8000, STP9000, STP9100, STP9200 and SC20 Series |
|---|-----|--|




## Tait

|   |    |                              |
|---|----|------------------------------|
|  | TA | TP8100 series, TP9400 series |
|---|----|------------------------------|

## Tekk

|   |                    |                              |
|---|--------------------|------------------------------|
|  | M<br>Digital Ready | XU100, XV100, XU1000, XV1000 |
|---|--------------------|------------------------------|

## Vertex Standard

|   |    |   |
|---|----|---|
|   | Y3 | VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX231, VX261, VX264, VX300, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459, BC95, eVX-261, eVX531, eVX534, eVX539 |
|  | Y5 | VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979   |
|  | Y6 | eVX-S24   |